

Am Test Inc.
 14603 N.E. 87th St.
 Redmond, WA 98052
 (425) 885-1664
 www.amtesllab.com



Professional
 Analytical
 Services

ANALYSIS REPORT

BRUCE KVAM
 9314 NE 133RD STREET
 KIRKLAND, WA 98034-1841
 Attention: BRUCE
 Project Name: DENNY CK STRMWTR QTY

Date Received: 10/24/06
 Date Reported: 11/ 7/06

AMTEST Identification Number 06-A014740
 Client Identification DENNY CK - UP
 Sampling Date 10/24/06
 All results reported on an as received basis.

Microbiological

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliforms	210.	CFU/100 ml		1.	SM 9222D	NG	10/24/06
E. coli	190	CFU/100ml		1.	SM 9222D	NG	10/24/06

Conventionals

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Suspended Solids	20.	mg/l		1.0	EPA 160.2	JR	10/31/06

Minerals

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Alkalinity (CaCO3)	16.	mg/l		1.0	SM 2320B	JR	10/30/06
Hardness (CaCO3)	24.	mg/l		1.0	EPA 130.2		
Calcium	6.1	mg/l		0.05	EPA 200.7	HL	11/01/06
Potassium	1.6	mg/l		0.10	EPA 200.7	HL	11/01/06
Magnesium	2.1	mg/l		0.05	EPA 200.7	HL	11/01/06
Sodium	2.5	mg/l		0.05	EPA 200.7	HL	11/01/06

Nutrients

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Ammonia Nitrogen	0.10	mg/l		0.005	EPA 350.1	TE	10/25/06
Total Nitrogen (TKN)	0.48	mg/l		0.10	EPA 351.3	TE	11/01/06
Nitrate + Nitrite	0.44	mg/l		0.010	EPA 353.2	TE	10/31/06
Ortho-Phosphate	0.048	mg/l		0.005	EPA 365.2	JR	10/25/06
Total Phosphorus	0.068	mg/l		0.005	EPA 365.1	TE	10/31/06

Am Test Inc.
14603 N.E. 87th St.
Redmond, WA 98052
(425) 885-1664
www.amtesllab.com



Professional
Analytical
Services

ANALYSIS REPORT

BRUCE KVAM
9314 NE 133RD STREET
KIRKLAND, WA 98034-1841
Attention: BRUCE
Project Name: DENNY CK STRMWTR QTY

Date Received: 10/24/06
Date Reported: 11/ 7/06

AMTEST Identification Number 06-A014742
Client Identification DENNY CK - UP - DISS METALS
Sampling Date 10/24/06
All results reported on an as received basis.

Dissolved Minerals

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Dissolved Calcium	5.8	mg/l		0.05	EPA 200.7	HL	10/27/06
Dissolved Potassium	1.5	mg/l		0.10	EPA 200.7	HL	10/27/06
Dissolved Magnesium	1.9	mg/l		0.05	EPA 200.7	HL	10/27/06
Dissolved Sodium	2.1	mg/l		0.05	EPA 200.7	HL	10/27/06

ICP Metals by EPA Method 200.7

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Silver	< 0.01	mg/l		0.01	EPA 200.7	HL	11/01/06
Aluminum	0.55	mg/l		0.01	EPA 200.7	HL	11/01/06
Arsenic	0.01	mg/l		0.01	EPA 200.7	HL	11/01/06
Boron	0.05	mg/l		0.05	EPA 200.7	HL	11/01/06
Barium	0.0151	mg/l		0.0005	EPA 200.7	HL	11/01/06
Beryllium	< 0.0005	mg/l		0.0005	EPA 200.7	HL	11/01/06
Cadmium	< 0.0005	mg/l		0.0005	EPA 200.7	HL	11/01/06
Cobalt	< 0.001	mg/l		0.001	EPA 200.7	HL	11/01/06
Chromium	0.006	mg/l		0.001	EPA 200.7	HL	11/01/06
Copper	0.006	mg/l		0.001	EPA 200.7	HL	11/01/06
Iron	0.865	mg/l		0.005	EPA 200.7	HL	11/01/06
Mercury	< 0.01	mg/l		0.010	EPA 200.7	HL	11/01/06
Lithium	< 0.005	mg/l		0.005	EPA 200.7	HL	11/01/06
Manganese	0.0884	mg/l		0.0005	EPA 200.7	HL	11/01/06
Molybdenum	< 0.005	mg/l		0.005	EPA 200.7	HL	11/01/06
Nickel	< 0.005	mg/l		0.005	EPA 200.7	HL	11/01/06
Phosphorus	0.21	mg/l		0.01	EPA 200.7	HL	11/01/06
Lead	< 0.01	mg/l		0.01	EPA 200.7	HL	11/01/06
Sulfur	1.7	mg/l		0.05	EPA 200.7	HL	11/01/06
Antimony	< 0.01	mg/l		0.01	EPA 200.7	HL	11/01/06
Selenium	< 0.01	mg/l		0.01	EPA 200.7	HL	11/01/06
Silicon	3.2	mg/l		0.05	EPA 200.7	HL	11/01/06
Tin	0.007	mg/l		0.005	EPA 200.7	HL	11/01/06
Strontium	0.0414	mg/l		0.0005	EPA 200.7	HL	11/01/06
Titanium	0.026	mg/l		0.001	EPA 200.7	HL	11/01/06
Thallium	< 0.01	mg/l		0.01	EPA 200.7	HL	11/01/06
Vanadium	< 0.005	mg/l		0.005	EPA 200.7	HL	11/01/06
Yttrium	< 0.0005	mg/l		0.0005	EPA 200.7	HL	11/01/06
Zinc	0.023	mg/l		0.001	EPA 200.7	HL	11/01/06

WTPH-HCID (Water)

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Gasoline	< 30	ug/l		30.	WDOE	MO	10/27/06
Diesel	260	ug/l		100	WDOE	MO	10/27/06
Oil	220	ug/l		200	WDOE	MO	10/27/06
Fuel Type	diesel				WDOE	MO	10/27/06

Surrogates

ANALYTE	% RECOVERY
Bromofluorobenzene	85.1 %
2-Fluorobiphenyl	91.8 %



Dissolved Metals

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Dissolved Silver	< 0.01	mg/l		0.01	EPA 200.7	HL	10/27/06
Dissolved Aluminum	0.09	mg/l		0.01	EPA 200.7	HL	10/27/06
Dissolved Arsenic	< 0.01	mg/l		0.01	EPA 200.7	HL	10/27/06
Dissolved Boron	< 0.05	mg/l		0.05	EPA 200.7	HL	10/27/06
Dissolved Barium	0.0140	mg/l		0.0005	EPA 200.7	HL	10/27/06
Dissolved Beryllium	< 0.0005	mg/l		0.0005	EPA 200.7	HL	10/27/06
Dissolved Cadmium	< 0.0005	mg/l		0.0005	EPA 200.7	HL	10/27/06
Dissolved Cobalt	< 0.001	mg/l		0.001	EPA 200.7	HL	10/27/06
Dissolved Chromium	< 0.001	mg/l		0.001	EPA 200.7	HL	10/27/06
Dissolved Copper	0.004	mg/l		0.001	EPA 200.7	HL	10/27/06
Dissolved Iron	0.158	mg/l		0.005	EPA 200.7	HL	10/27/06
Dissolved Mercury	< 0.01	mg/l		0.010	EPA 200.7	HL	10/27/06
Dissolved Lithium	< 0.005	mg/l		0.005	EPA 200.7	HL	10/27/06
Dissolved Manganese	0.0244	mg/l		0.0005	EPA 200.7	HL	10/27/06
Dissolved Molybdenum	< 0.005	mg/l		0.005	EPA 200.7	HL	10/27/06
Dissolved Nickel	< 0.005	mg/l		0.005	EPA 200.7	HL	10/27/06
Dissolved Phosphorus	< 0.01	mg/l		0.01	EPA 200.7	HL	10/27/06
Dissolved Lead	< 0.01	mg/l		0.01	EPA 200.7	HL	10/27/06
Dissolved Sulfur	1.7	mg/l		0.05	EPA 200.7	HL	10/27/06
Dissolved Antimony	< 0.01	mg/l		0.01	EPA 200.7	HL	10/27/06
Dissolved Selenium	< 0.01	mg/l		0.01	EPA 200.7	HL	10/27/06
Dissolved Silicon	1.4	mg/l		0.05	EPA 200.7	HL	10/27/06
Dissolved Tin	< 0.005	mg/l		0.005	EPA 200.7	HL	10/27/06
Dissolved Strontium	0.0413	mg/l		0.0005	EPA 200.7	HL	10/27/06
Dissolved Titanium	0.005	mg/l		0.001	EPA 200.7	HL	10/27/06
Dissolved Thallium	< 0.01	mg/l		0.01	EPA 200.7	HL	10/27/06
Dissolved Vanadium	< 0.005	mg/l		0.005	EPA 200.7	HL	10/27/06
Dissolved Yttrium	< 0.0005	mg/l		0.0005	EPA 200.7	HL	10/27/06
Dissolved Zinc	0.013	mg/l		0.001	EPA 200.7	HL	10/27/06



 Kathy Fugiel
 President

Herbicides

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
2,4,-D	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06
2,4,5-TP (Silvex)	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06
2,4,5-T	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06
Dalapon	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06
Dicamba	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06
Tricamba	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06
MCPA	< 5	ug/l		5.0	EPA 615	MO	11/02/06
MCPP	< 5	ug/l		5.0	EPA 615	MO	11/02/06
Dichloroprop	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06
2,4-DB	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06
Dinoseb	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06

Herbicide Surrogates


ANALYTE	% RECOVERY
2,4-Dichlorophenylacetic	103. %

Organo-Phosphorus Pesticides

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Dichlorovos	< 0.2	ug/l		0.2	EPA 622	MO	11/02/06
Mevinphos (Phosdrin)	< 0.2	ug/l		0.2	EPA 622	MO	11/02/06
TEPP	< 0.5	ug/l		0.5	EPA 622	MO	11/02/06
Demeton-o	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Ethoprophos	< 0.05	ug/l		0.0	EPA 622	MO	11/02/06
Naled	< 0.5	ug/l		0.5	EPA 622	MO	11/02/06
Sulfotepp	< 0.5	ug/l		0.5	EPA 622	MO	11/02/06
Monocrotophos	< 0.05	ug/l		0.0	EPA 622	MO	11/02/06
Phorate	< 0.2	ug/l		0.2	EPA 622	MO	11/02/06
Diazinon	< 0.03	ug/l		0.0	EPA 622	MO	11/02/06
Disulfoton	< 0.05	ug/l		0.0	EPA 622	MO	11/02/06
Dimethoate	< 0.05	ug/l		0.0	EPA 622	MO	11/02/06
Dioxathion	< 0.5	ug/l		0.5	EPA 622	MO	11/02/06
Terbufos	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Methyl Parathion	< 0.05	ug/l		0.0	EPA 622	MO	11/02/06
Phosphamidon	< 1	ug/l		1.	EPA 622	MO	11/02/06
Ronnel (Fenchlorphos)	< 0.05	ug/l		0.0	EPA 622	MO	11/02/06
Chlorfenvinphos	< 0.3	ug/l		0.3	EPA 622	MO	11/02/06
Chloropyrifos	< 0.05	ug/l		0.0	EPA 622	MO	11/02/06
Fenthion	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Fenitrothion	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Malathion	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Trichloronate	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Stirofos (tetchlorvinfos)	< 0.5	ug/l		0.5	EPA 622	MO	11/02/06
Ethyl Parathion	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Tokuthion	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Famphur	< 0.3	ug/l		0.3	EPA 622	MO	11/02/06
Merphos	< 0.3	ug/l		0.3	EPA 622	MO	11/02/06
Fensulfothion	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Bolstar (Sulprofos)	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
EPN	< 2	ug/l		2.	EPA 622	MO	11/02/06
Guthion(Azinophos methyl)	< 0.2	ug/l		0.2	EPA 622	MO	11/02/06
Phosmet	< 0.2	ug/l		0.2	EPA 622	MO	11/02/06
Coumaphos	< 0.2	ug/l		0.2	EPA 622	MO	11/02/06
Leptophos	< 0.2	ug/l		0.2	EPA 622	MO	11/02/06
Azinophos ethyl	< 0.2	ug/l		0.2	EPA 622	MO	11/02/06

Organo-Phosphorus Pesticides Surrogates

ANALYTE	% RECOVERY
Tri-butyl phosphate	113. %
Tri-pentyl phosphate	160. %



Kathy Fugiel
President

Am Test Inc.
 14603 N.E. 87th St.
 Redmond, WA 98052
 (425) 885-1664
 www.amtestlab.com



Professional
 Analytical
 Services

ANALYSIS REPORT

BRUCE KVAM
 9314 NE 133RD STREET
 KIRKLAND, WA 98034-1841
 Attention: BRUCE
 Project Name: DENNY CK STRMWTR QTY

Date Received: 10/24/06
 Date Reported: 11/7/06

AMTEST Identification Number 06-A014741
 Client Identification DENNY CK - DOWN
 Sampling Date 10/24/06
 All results reported on an as received basis.

Microbiological

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Fecal Coliforms	57.	CFU/100 ml		1.	SM 9222D	NG	10/24/06
E. coli	45.	CFU/100ml		1.	SM 9222D	NG	10/24/06

Conventionals

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Total Suspended Solids	120	mg/l		1.0	EPA 160.2	JR	10/31/06

Minerals

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Alkalinity (CaCO3)	40.	mg/l		1.0	SM 2320B	JR	10/30/06
Hardness (CaCO3)	61.	mg/l		1.0	EPA 130.2		
Calcium	12.	mg/l		0.05	EPA 200.7	HL	11/01/06
Potassium	2.3	mg/l		0.10	EPA 200.7	HL	11/01/06
Magnesium	7.5	mg/l		0.05	EPA 200.7	HL	11/01/06
Sodium	4.3	mg/l		0.05	EPA 200.7	HL	11/01/06

Nutrients

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Ammonia Nitrogen	< 0.005	mg/l		0.005	EPA 350.1	TE	10/25/06
Total Nitrogen (TKN)	0.36	mg/l		0.10	EPA 351.3	TE	11/01/06
Nitrate + Nitrite	0.85	mg/l		0.010	EPA 353.2	TE	10/31/06
Ortho-Phosphate	0.11	mg/l		0.005	EPA 365.2	JR	10/25/06
Total Phosphorus	0.23	mg/l		0.005	EPA 365.1	TE	10/31/06

Am Test Inc.
14603 N.E. 87th St.
Redmond, WA 98052
(425) 885-1664
www.amtestlab.com



Professional
Analytical
Services

ANALYSIS REPORT

BRUCE KVAM
9314 NE 133RD STREET
KIRKLAND, WA 98034-1841
Attention: BRUCE
Project Name: DENNY CK STRMWTR QTY

Date Received: 10/24/06
Date Reported: 11/ 7/06

AMTEST Identification Number 06-A014743
Client Identification DENNY CK - DOWN - DISS METALS
Sampling Date 10/24/06
All results reported on an as received basis.

Dissolved Minerals

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Dissolved Calcium	10.	mg/l		0.05	EPA 200.7	HL	10/27/06
Dissolved Potassium	2.1	mg/l		0.10	EPA 200.7	HL	10/27/06
Dissolved Magnesium	6.5	mg/l		0.05	EPA 200.7	HL	10/27/06
Dissolved Sodium	4.2	mg/l		0.05	EPA 200.7	HL	10/27/06

ICP Metals by EPA Method 200.7

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Silver	< 0.01	mg/l		0.01	EPA 200.7	HL	11/01/06
Aluminum	2.28	mg/l		0.01	EPA 200.7	HL	11/01/06
Arsenic	< 0.01	mg/l		0.01	EPA 200.7	HL	11/01/06
Boron	< 0.05	mg/l		0.05	EPA 200.7	HL	11/01/06
Barium	0.0390	mg/l		0.0005	EPA 200.7	HL	11/01/06
Beryllium	< 0.0005	mg/l		0.0005	EPA 200.7	HL	11/01/06
Cadmium	< 0.0005	mg/l		0.0005	EPA 200.7	HL	11/01/06
Cobalt	< 0.001	mg/l		0.001	EPA 200.7	HL	11/01/06
Chromium	0.011	mg/l		0.001	EPA 200.7	HL	11/01/06
Copper	0.012	mg/l		0.001	EPA 200.7	HL	11/01/06
Iron	4.00	mg/l		0.005	EPA 200.7	HL	11/01/06
Mercury	< 0.01	mg/l		0.010	EPA 200.7	HL	11/01/06
Lithium	< 0.005	mg/l		0.005	EPA 200.7	HL	11/01/06
Manganese	0.388	mg/l		0.0005	EPA 200.7	HL	11/01/06
Molybdenum	< 0.005	mg/l		0.005	EPA 200.7	HL	11/01/06
Nickel	< 0.005	mg/l		0.005	EPA 200.7	HL	11/01/06
Phosphorus	0.04	mg/l		0.01	EPA 200.7	HL	11/01/06
Lead	< 0.01	mg/l		0.01	EPA 200.7	HL	11/01/06
Sulfur	3.1	mg/l		0.05	EPA 200.7	HL	11/01/06
Antimony	< 0.01	mg/l		0.01	EPA 200.7	HL	11/01/06
Selenium	< 0.01	mg/l		0.01	EPA 200.7	HL	11/01/06
Silicon	3.7	mg/l		0.05	EPA 200.7	HL	11/01/06
Tin	< 0.005	mg/l		0.005	EPA 200.7	HL	11/01/06
Strontium	0.0805	mg/l		0.0005	EPA 200.7	HL	11/01/06
Titanium	0.096	mg/l		0.001	EPA 200.7	HL	11/01/06
Thallium	< 0.01	mg/l		0.01	EPA 200.7	HL	11/01/06
Vanadium	0.017	mg/l		0.005	EPA 200.7	HL	11/01/06
Yttrium	< 0.0005	mg/l		0.0005	EPA 200.7	HL	11/01/06
Zinc	0.040	mg/l		0.001	EPA 200.7	HL	11/01/06

WTPH-HCID (Water)

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Gasoline	< 30	ug/l		30.	WDOE	MO	10/27/06
Diesel	200	ug/l		100	WDOE	MO	10/27/06
Oil	280	ug/l		200	WDOE	MO	10/27/06
Fuel Type	oil				WDOE	MO	10/27/06

Surrogates

ANALYTE	% RECOVERY
Bromofluorobenzene	92.1 %
2-Fluorobiphenyl	101. %



Herbicides

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
2,4,-D	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06
2,4,5-TP (Silvex)	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06
2,4,5-T	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06
Dalapon	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06
Dicamba	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06
Tricamba	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06
MCPA	< 5	ug/l		5.0	EPA 615	MO	11/02/06
MCPP	< 5	ug/l		5.0	EPA 615	MO	11/02/06
Dichloroprop	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06
2,4-DB	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06
Dinoseb	< 0.5	ug/l		0.50	EPA 615	MO	11/02/06

Herbicide Surrogates

ANALYTE	% RECOVERY
2,4-Dichlorophenylacetic	107. %

Organo-Phosphorus Pesticides

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Dichlorovos	< 0.2	ug/l		0.2	EPA 622	MO	11/02/06
Mevinphos (Phosdrin)	< 0.2	ug/l		0.2	EPA 622	MO	11/02/06
TEPP	< 0.5	ug/l		0.5	EPA 622	MO	11/02/06
Demeton-o	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Ethoprophos	< 0.05	ug/l		0.0	EPA 622	MO	11/02/06
Naled	< 0.5	ug/l		0.5	EPA 622	MO	11/02/06
Sulfotepp	< 0.5	ug/l		0.5	EPA 622	MO	11/02/06
Monocrotophos	< 0.05	ug/l		0.0	EPA 622	MO	11/02/06
Phorate	< 0.2	ug/l		0.2	EPA 622	MO	11/02/06
Diazinon	< 0.03	ug/l		0.0	EPA 622	MO	11/02/06
Disulfoton	< 0.05	ug/l		0.0	EPA 622	MO	11/02/06
Dimethoate	< 0.05	ug/l		0.0	EPA 622	MO	11/02/06
Dioxathion	< 0.5	ug/l		0.5	EPA 622	MO	11/02/06
Terbufos	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Methyl Parathion	< 0.05	ug/l		0.0	EPA 622	MO	11/02/06
Phosphamidon	< 1	ug/l		1.	EPA 622	MO	11/02/06
Ronnel (Fenchlorphos)	< 0.05	ug/l		0.0	EPA 622	MO	11/02/06
Chlorfenvinphos	< 0.3	ug/l		0.3	EPA 622	MO	11/02/06
Chloropyrifos	< 0.05	ug/l		0.0	EPA 622	MO	11/02/06
Fenthion	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Fenitrothion	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Malathion	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Trichloronate	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Stirofos (tetchlorvinfos)	< 0.5	ug/l		0.5	EPA 622	MO	11/02/06
Ethyl Parathion	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Tokuthion	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Famphur	< 0.3	ug/l		0.3	EPA 622	MO	11/02/06
Merphos	< 0.3	ug/l		0.3	EPA 622	MO	11/02/06
Fensulfothion	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
Bolstar (Sulprofos)	< 0.1	ug/l		0.1	EPA 622	MO	11/02/06
EPN	< 2	ug/l		2.	EPA 622	MO	11/02/06
Guthion(Azinophos methyl)	< 0.2	ug/l		0.2	EPA 622	MO	11/02/06
Phosmet	< 0.2	ug/l		0.2	EPA 622	MO	11/02/06
Coumaphos	< 0.2	ug/l		0.2	EPA 622	MO	11/02/06
Leptophos	< 0.2	ug/l		0.2	EPA 622	MO	11/02/06
Azinophos ethyl	< 0.2	ug/l		0.2	EPA 622	MO	11/02/06

Organo-Phosphorus Pesticides Surrogates

ANALYTE	% RECOVERY
Tri-butyl phosphate	61.0 %
Tri-pentyl phosphate	102. %



Kathy Fugiel
President



Dissolved Metals

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Dissolved Silver	< 0.01	mg/l		0.01	EPA 200.7	HL	10/27/06
Dissolved Aluminum	0.01	mg/l		0.01	EPA 200.7	HL	10/27/06
Dissolved Arsenic	< 0.01	mg/l		0.01	EPA 200.7	HL	10/27/06
Dissolved Boron	< 0.05	mg/l		0.05	EPA 200.7	HL	10/27/06
Dissolved Barium	0.0088	mg/l		0.0005	EPA 200.7	HL	10/27/06
Dissolved Beryllium	< 0.0005	mg/l		0.0005	EPA 200.7	HL	10/27/06
Dissolved Cadmium	< 0.0005	mg/l		0.0005	EPA 200.7	HL	10/27/06
Dissolved Cobalt	< 0.001	mg/l		0.001	EPA 200.7	HL	10/27/06
Dissolved Chromium	< 0.001	mg/l		0.001	EPA 200.7	HL	10/27/06
Dissolved Copper	0.004	mg/l		0.001	EPA 200.7	HL	10/27/06
Dissolved Iron	0.111	mg/l		0.005	EPA 200.7	HL	10/27/06
Dissolved Mercury	< 0.01	mg/l		0.010	EPA 200.7	HL	10/27/06
Dissolved Lithium	< 0.005	mg/l		0.005	EPA 200.7	HL	10/27/06
Dissolved Manganese	0.0013	mg/l		0.0005	EPA 200.7	HL	10/27/06
Dissolved Molybdenum	< 0.005	mg/l		0.005	EPA 200.7	HL	10/27/06
Dissolved Nickel	< 0.005	mg/l		0.005	EPA 200.7	HL	10/27/06
Dissolved Phosphorus	0.07	mg/l		0.01	EPA 200.7	HL	10/27/06
Dissolved Lead	< 0.01	mg/l		0.01	EPA 200.7	HL	10/27/06
Dissolved Sulfur	3.1	mg/l		0.05	EPA 200.7	HL	10/27/06
Dissolved Antimony	< 0.01	mg/l		0.01	EPA 200.7	HL	10/27/06
Dissolved Selenium	< 0.01	mg/l		0.01	EPA 200.7	HL	10/27/06
Dissolved Silicon	3.4	mg/l		0.05	EPA 200.7	HL	10/27/06
Dissolved Tin	< 0.005	mg/l		0.005	EPA 200.7	HL	10/27/06
Dissolved Strontium	0.0710	mg/l		0.0005	EPA 200.7	HL	10/27/06
Dissolved Titanium	< 0.001	mg/l		0.001	EPA 200.7	HL	10/27/06
Dissolved Thallium	< 0.01	mg/l		0.01	EPA 200.7	HL	10/27/06
Dissolved Vanadium	< 0.005	mg/l		0.005	EPA 200.7	HL	10/27/06
Dissolved Yttrium	< 0.0005	mg/l		0.0005	EPA 200.7	HL	10/27/06
Dissolved Zinc	0.006	mg/l		0.001	EPA 200.7	HL	10/27/06


 Kathy Fugiel
 President